

EXHIBIT F
Partially Redacted
Public Version


Exhibit Copying-5 – Evidence of Hierarchy Copying

“aaa” hierarchies


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹
aaa accounting	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa accounting	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa accounting dot1x	IOS XE 3.5; NX-OS 4.0 through 6.2	aaa accounting dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

¹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹
aaa authentication login	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa authentication login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa authorization config-commands	Cisco IOS 11.2 through 15.4; IOS XE 3.5	aaa authorization config-commands	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa authorization console	Cisco IOS 12.0 through 15.4; IOS XE 3.5	aaa authorization console	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹
aaa group server radius	Cisco IOS 12.0 through 15.4; IOS XR 3.2 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	aaa group server radius	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa group server tacacs+	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	aaa group server tacacs+	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



“bgp” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears²	Date On Which Arista Added Command to Source Code & EOS Version
bgp client-to-client reflection	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	bgp client-to-client reflection	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 31, 2011 4.8.3
bgp cluster-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp cluster-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 31, 2011 4.8.3
bgp confederation identifier	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp confederation identifier	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 1, 2013 4.11.3

² At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ²
bgp confederation peers	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5; NX-OS 4.0 through 6.2	bgp confederation peers	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp listen limit	Cisco IOS 12.2 through 15.4; ; IOS XE 3.5	bgp listen limit	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp log-neighbor-changes	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 3.5; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	bgp log-neighbor-changes	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp redistribute-internal	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp redistribute-internal (BGP)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

“clear” hierarchies


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ³
clear arp-cache	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	clear arp-cache	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear counters	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	clear counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip arp	NX-OS 4.0 through 6.2	clear ip arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

³ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ³
clear ip bgp	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip igmp group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	clear ip igmp group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip msdp sa-cache	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ³
clear ip nat translation	Cisco IOS 11.2 through 15.4; IOS XE 3.5	clear ip nat translation	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip ospf neighbor	Cisco IOS 11.1 through 15.4; NX-OS 4.0 through 6.2	clear ip ospf neighbor	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ipv6 ospf force-spf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	clear ipv6 ospf force-spf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ³
clear lldp counters	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp counters	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear lldp table	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp table	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear mac-address-table dynamic	Cisco IOS 12.2 through 15.0; NX-OS 4.0 through 6.2	clear mac address-table dynamic	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear spanning-tree counters	NX-OS 4.0 through 6.2	clear spanning-tree counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“dot1x” command hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁴
dot1x max-reauth-req	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x max-reauth-req	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x pae authenticator	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	dot1x pae authenticator	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x port-control	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x port-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x reauthentication	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x reauthentication	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

⁴ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁴
dot1x system-auth-control	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x system-auth-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout quiet-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout quiet-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout reauth-period	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout reauth-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout tx-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout tx-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“ip” hierarchy

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip access-group	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-group	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip access-list	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip access-list standard	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ip access-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


⁵ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip address	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip as-path access-list	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip as-path access-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip community-list expanded	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip community-list standard	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip dhcp smart-relay	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp smart-relay global	IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay global	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping information option	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping information option	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping vlan	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip domain lookup	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain lookup	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip domain name	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain-name	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip extcommunity-list expanded	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip extcommunity-list standard	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip helper-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip http client source-interface	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ip http client source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip icmp redirect	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ip icmp redirect	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip igmp last-member-query-count	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp last-member-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp last-member-query-interval	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip igmp last-member-query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp query-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp query-max-response-time	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-max-response-time	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping querier	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping vlan	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping vlan immediate-leave	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan immediate-leave	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵	
ip igmp snooping vlan mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	
ip igmp snooping vlan static	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan static	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	
ip igmp startup-query- interval	NX-OS 4.0 through 6.2	ip igmp startup-query- interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	
ip igmp startup-query-count	NX-OS 4.0 through 6.2	ip igmp startup-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip igmp static-group	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip igmp static-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp version	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp version	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip load-sharing	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5	ip load-sharing	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip local-proxy-arp	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip local-proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip msdp cache-sa-state	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp cache-sa-state	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp default-peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp default-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp description	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp group-limit	NX-OS 4.0 through 6.2	ip msdp group-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip msdp keepalive	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp keepalive	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp mesh-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp originator-id	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp originator-id	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip msdp sa-filter in	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp sa-filter in	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp sa-filter out	Cisco IOS 12.0 through 15.4; IOS XE 3.5;	ip msdp sa-filter out	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp sa-limit	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp sa-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp shutdown	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp shutdown	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip msdp timer	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip msdp timer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip multicast boundary	Cisco IOS 11.1 through 15.4; IOS XE 3.5	ip multicast boundary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip multicast-routing	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip multicast-routing	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip name-server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip name-server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip nat pool	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat pool	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip nat translation tcp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation tcp-timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip nat translation udp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation udp- timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip ospf bfd	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip ospf bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf cost	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf cost	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf dead-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf dead-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf hello-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf hello-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip ospf message-digest-key	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf message-digest-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf name-lookup	Cisco IOS 11.0 through 15.4; IOS XE 3.5	ip ospf name-lookup	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf network	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf priority	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip ospf retransmit-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf retransmit-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf shutdown	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf shutdown	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf transmit-delay	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf transmit-delay	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim anycast-rp	NX-OS 4.0 through 6.2	ip pim anycast-rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip pim bfd	Cisco IOS 15.4; NX-OS 5.0 through 6.2	ip pim bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bfd-instance	NX-OS 5.0 through 6.2	ip pim bfd-instance	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bsr-border	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim bsr-border	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bsr-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim bsr-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim dr-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim dr-priority	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip pim log-neighbor-changes	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim log-neighbor-changes	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim neighbor-filter	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim neighbor-filter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim query-interval	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5;	ip pim query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim register-source	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	ip pim register-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip pim rp-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-address	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim rp-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim sparse-mode	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim sparse-mode	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim spt-threshold	Cisco IOS 11.1 through 15.4; IOS XR 3.0; IOS XE 3.5	ip pim spt-threshold	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip pim spt-threshold group-list	Cisco IOS 11.1 through 15.4	ip pim spt-threshold group-list	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim ssm range	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim ssm range	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip prefix-list	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip prefix-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip protocol	Cisco IOS 12.0 through 15.4	ip protocol (Monitor Reachability Probe Transmitter)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip proxy-arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip radius source-interface	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip radius source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip rip v2-broadcast	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip rip v2-broadcast	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip route	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip routing	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip routing	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵
ip tacacs source-interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip tacacs source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“ipv6” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 address	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 dhcp relay destination	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 dhcp relay destination	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 enable	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 enable	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

⁶ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 host	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ipv6 access-group	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 access-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd managed-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd managed-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ns-interval	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ns-interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 nd other-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd other-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd prefix	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	ipv6 nd prefix	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ra interval	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 nd ra lifetime	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra lifetime	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ra suppress	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd ra suppress	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd reachable-time	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd reachable-time	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd router-preference	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd router-preference	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 neighbor	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf area	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf area	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf cost	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf cost	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf dead-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf dead-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 ospf hello-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf hello-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf network	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf priority	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf priority	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf retransmit-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf retransmit-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 ospf transmit-delay	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf transmit-delay	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 router ospf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 router ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶
ipv6 unicast-routing	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ipv6 unicast-routing	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“neighbor” hierarchies


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor activate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5	neighbor activate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor allowas-in	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor allowas-in	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor default-originate	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor default-originate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

⁷ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor description	Cisco IOS 11.3 through 15.4; IOS XE 3.5	neighbor description	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor ebgp-multihop	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor ebgp-multihop	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor fall-over bfd	Cisco IOS 12.2 through 15.4; IOS XE 3.5	neighbor fall-over bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor local-as	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor local-as	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor next-hop-self	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor next-hop-self	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor password	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	neighbor password	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor peer-group (assigning members)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (neighbor assignment)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor peer-group (creating)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (create)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor remote-as	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor remote-as	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor remove-private-as	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor remove-private-as	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor route-map	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	neighbor route-map (BGP)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor route-reflector- client	Cisco IOS 11.1 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor route-reflector- client	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor send-community	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor send-community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor shutdown	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor shutdown	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor soft-reconfiguration	Cisco IOS 11.2 through 15.4; IOS XE 3.5	neighbor soft-reconfiguration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor timers	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor timers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷
neighbor transport connection-mode	Cisco IOS 12.4 through 15.4	neighbor transport connection-mode	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor update-source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor update-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor weight	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor weight	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“show” hierarchies


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show aaa method-lists	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show aaa method-lists	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show aaa sessions	Cisco IOS 15.2 through 15.4; IOS XE 3.5	show aaa sessions	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show arp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

⁸ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show bfd neighbors	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show bfd neighbors	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show clock	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show clock	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1q-tunnel	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	show dot1q-tunnel	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1x	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1x all summary	Cisco IOS 12.1 through 15.4; NX-OS 4.0 through 6.2	show dot1x all summary	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show dot1x statistics	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show dot1x statistics	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment all	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment all	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment cooling	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show environment cooling	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment power	IOS XR 3.0 through 5.2; NX-OS 5.0 through 6.2	show environment power	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show environment temperature	Cisco IOS 11.2 through 12.1; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment temperature	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show etherchannel	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show etherchannel	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show hostname	NX-OS 4.0 through 6.2	show hostname	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show hosts	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show hosts	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show interfaces	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show interfaces	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces capabilities	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show interfaces capabilities	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces description	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces description	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show interfaces flowcontrol	IOS 12.2 through 15.4; IOS XE 3.5	show flowcontrol	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces private-vlan mapping	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces status	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces status	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces switchport	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces switchport	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show interfaces switchport backup	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show interfaces switchport backup	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces transceiver	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces transceiver	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces trunk	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces trunk	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show inventory	Cisco IOS 12.4 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show inventory	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip access-lists	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip access-lists	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp community	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp neighbors (route type)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp neighbors	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp paths	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp paths	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp peer-group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp peer-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip bgp regexp	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp regexp	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip community-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip community-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip extcommunity-list	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 6.2	show ip extcommunity-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip helper-address	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp groups	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip igmp snooping groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping groups	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping querier	Cisco IOS 12.4 through 15.4; NX-OS 4.0 through 6.2	show ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip interface	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip interface brief	Cisco IOS 12.4 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	show ip interface brief	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip mfib	Cisco IOS 15.0 through 15.4; IOS XE 2.1 through 3.5	show ip mfib	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip mroute count	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip mroute count	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp mesh-group	NX-OS 4.0 through 6.2	show ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip msdp rpf-peer	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip msdp rpf-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp sa-cache	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp summary	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp summary	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip nat translations	Cisco IOS 11.2 through 15.4; IOS XE 3.5	show ip nat translations	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip ospf	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf border-routers	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf border-routers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf database database-summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf database database-summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf interface	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip ospf neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf neighbor	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf request-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf request-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf retransmission- list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf retransmission- list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip pim neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim neighbor	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim rp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim rp-hash	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp-hash	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip prefix-list	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip rip database	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show ip rip database	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip rip neighbors	Cisco IOS 15.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip rip neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip route	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip route summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ip route tag	Cisco IOS 15.2 through 15.4	show ip route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp	NX-OS 4.0 through 6.2	show ipv6 bgp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp community	Cisco IOS 12.2; NX-OS 4.0 through 6.2	show ipv6 bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ipv6 bgp neighbors	NX-OS 4.0 through 6.2	show ipv6 bgp neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EO v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp summary	NX-OS 4.0 through 6.2	show ipv6 bgp summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EO v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 interface	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EO v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EO v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ipv6 ospf	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf border- routers	Cisco IOS 12.2; IOS XE 2.1 through 3.5	show ipv6 ospf border- routers	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf neighbor	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 route summary	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	show ipv6 route summary	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 route tag	Cisco IOS 15.2 through 15.4	show ipv6 route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show isis database	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis database	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show isis interface	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	show isis interface	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show isis topology	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis topology	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lacp counters	IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show lacp counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show lacp interface	NX-OS 4.0 through 6.2	show lacp interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lacp neighbor	NX-OS 4.0 through 6.2	show lacp neighbor	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	show link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lldp	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5	show lldp	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show lldp neighbors	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp neighbors	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lldp traffic	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp traffic	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac access-list	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac address-table	Cisco IOS 11.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show mac address-table aging time	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table aging time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac address-table count	IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table count	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show module	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show module	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show monitor session	Cisco IOS 12.2 through 15.0; IOS XR 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show monitor session	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ntp associations	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	show ntp associations	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2 EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ntp status	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ntp status	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2 EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show policy-map control-plane	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show policy-map type control-plane	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show policy-map interface	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	show policy-map interface type qos	EOS v. 4.11.1.2, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show policy-map interface control-plane	NX-OS 5.0 through 6.2	show policy-map interface control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-channel summary	NX-OS 4.0 through 6.2	show port-channel summary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-channel traffic	NX-OS 4.0 through 6.2	show port-channel traffic	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show port-security address	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-security interface	IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show privilege	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	show privilege	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ptp clock	NX-OS 5.2 through 6.2	show ptp clock	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show ptp parent	NX-OS 5.2 through 6.2	show ptp parent	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ptp time-property	NX-OS 5.2 through 6.2	show ptp time-property	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show radius	IOS XR 3.2 through 5.2; NX-OS 4.0 through 6.2	show radius	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show redundancy states	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	show redundancy states	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show reload	Cisco IOS 11.0 through 15.4; IOS XE 2.1	show reload	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show role	NX-OS 4.0 through 6.2	show role	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show route-map	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show snmp chassis	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp chassis	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp community	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp contact	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp engineID	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp engineID	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show snmp group	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp host	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp location	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp mib	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp mib	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show snmp source-interface	NX-OS 5.0 through 6.2	show snmp source-interface	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp trap	NX-OS 4.0 through 6.2	show snmp trap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp view	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show spanning-tree	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show spanning-tree	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree blockedports	NX-OS 6.2	show spanning-tree blockedports	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree bridge	NX-OS 4.0 through 6.2	show spanning-tree bridge	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree interface	NX-OS 4.0 through 6.2	show spanning-tree interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show spanning-tree mst	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree mst configuration	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst configuration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree mst interface	IOS XR 4.3 through 5.2; NX-OS 6.2	show spanning-tree mst interface	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree root	NX-OS 4.0 through 6.2	show spanning-tree root	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show storm-control	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show tacacs	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show tacacs	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show track	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show user-account	NX-OS 4.0 through 6.2	show user-account	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show users	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show users	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show version	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show version	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vlan	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸
show vlan private-vlan	NX-OS 4.0 through 6.2	show vlan private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vlan summary	NX-OS 6.2	show vlan summary	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vrf	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vrf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vrrp	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show vrrp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




“snmp-server” hierarchies


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
snmp-server chassis-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	snmp-server chassis-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server community	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server contact	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	snmp-server contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

⁹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
snmp-server enable traps	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server enable traps	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server engineID local	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID local	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server engineID remote	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID remote	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server group	Cisco IOS 11.3 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
snmp-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server location	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server source-interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1; NX-OS 5.0 through 6.2	snmp-server source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F




Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
snmp-server user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server view	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree bpdupfilter	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree bpdupfilter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree bpduguard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree bpduguard	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F


Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
spanning-tree bridge assurance	NX-OS 4.0 through 6.2	spanning-tree bridge assurance	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree cost	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree cost	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree guard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree guard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree link-type	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree link-type	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
spanning-tree loopguard default	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree loopguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree mode	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree mst configuration	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spanning-tree mst configuration	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree portfast bpdupfilter default	Cisco IOS 12.2	spanning-tree portfast bpdupfilter default	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹
spanning-tree portfast bpduguard default	Cisco IOS 12.2	spanning-tree portfast bpduguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



“spanning-tree” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹⁰
spanning-tree port-priority	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree transmit hold-count	Cisco IOS 12.2	spanning-tree transmit hold-count	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree vlan	Cisco IOS 12.0 through 15.4; IOS XE 2.1; NX-OS 4.0 through 6.2	spanning-tree vlan	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

¹⁰ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.


“vrrp” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹¹
vrrp authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	vrrp authentication	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp delay reload	Cisco IOS 15.1 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	vrrp delay reload	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp description	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

¹¹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears¹¹
vrrp ip	Cisco IOS 12.0 through 15.4; IOS XR 5.2; IOS XE 3.5	vrrp ip	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp ip secondary	IOS 12.0 through 15.4; IOS XE 3.5	vrrp ip secondary	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp preempt	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp preempt	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp priority	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp priority	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹¹
vrrp shutdown	Cisco IOS 12.4 through 15.4; IOS XE 3.5	vrrp shutdown	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp timers advertise	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp timers advertise	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F



Arista User Manuals

Date	Manual	Bates Begin	Bates End
4/8/2009	Arista Networks EOS User Manual Version 4.0.1	CSI-CLI-00007244	CSI-CLI-00007472
3/31/2010	Arista Networks EOS User Manual Version 4.4.0	CSI-CLI-00007473	CSI-CLI-00007840
3/28/2011	Arista Networks EOS User Manual Version 4.6.2	CSI-CLI-00006858	CSI-CLI-00007243
7/19/2012	Arista Networks EOS User Manual Version 4.10.0	CSI-CLI-00007841	CSI-CLI-00008984
1/22/2013	Arista Networks EOS User Manual Version 4.11.1 - Rev. 2	CSI-CLI-00010517	CSI-CLI-00011972
3/1/2013	Arista Networks EOS User Manual Version 4.11.2.1	CSI-CLI-00008985	CSI-CLI-00010516
9/16/2013	Arista Networks EOS User Manual Version 4.12.4	CSI-CLI-00014141	CSI-CLI-00016000
4/14/2014	Arista Networks EOS User Manual Version 4.13.6F	CSI-CLI-00016001	CSI-CLI-00018140
6/17/2014	Arista Networks EOS User Manual Version 4.13.7M	CSI-CLI-00011973	CSI-CLI-00014140
10/2/2014	Arista Networks EOS User Manual Version 4.14.3F - Rev. 2	CSI-CLI-00018146	CSI-CLI-00020337
12/22/2014	Arista Networks EOS User Manual Version 4.14.5F - Rev. 2	CSI-CLI-00000084	CSI-CLI-00002331
1/19/2015	Arista Networks EOS User Manual Version 4.14.6M	CSI-CLI-00004616	CSI-CLI-00006857
4/2015	Arista Networks EOS User Manual Version 4.15.OF - Rev. 2.27	CSI-CLI-00020575	CSI-CLI-00022852
4/18/2015	Arista Networks EOS User Manual Version 4.15.OF	CSI-CLI-00002332	CSI-CLI-00004615
11/20/2015	Arista Networks EOS User Manual Version 4.15.3F	CSI-CLI-06302874	CSI-CLI-06305161